

car alarm cobra manual



File Name: car alarm cobra manual.pdf

Size: 3593 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 13 May 2019, 18:28 PM

Rating: 4.6/5 from 848 votes.

Status: AVAILABLE

Last checked: 7 Minutes ago!

In order to read or download car alarm cobra manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with car alarm cobra manual . To get started finding car alarm cobra manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

car alarm cobra manual

The Cobra 3198 alarm system MUST be fitted with a previously installed Category 2 M.I.R.R.C listed immobiliser to obtain Category 1 status for the vehicles security systems. This new technology offers an extremely high level of protection against any attempt to reproduce the code. The radio control allows the system to be activated at a distance of 510 meters from the vehicle. Other radio sources may cause interference which can reduce the effective range of the radio controls. Deactivated Activated The immobiliser will automatically rearm if the ignition is not switched 5.6 Automatic antihijack on within 4 minutes after the system has been disarmed. The alarm status history is displayed by LED when the system is disarmed, this is played until the system will be rearmed or the ignition will be switched i l b, s r r t l. The led will blink everytime you press the button, a longer blink will confirm that the right PIN code digit has been input. Proceed in the same way with the 3 further digits. Only touch it on the sides. Remember to Resynchronization procedure comply with the polarity indication, as shown in the figure. Refer to the emergency override. 9.4 Loss of the PIN code As the PIN code enables access to the system, it should not be left in the unattended vehicle as it can be used to deactivate. Do not leave it the vehicle. If you have lost or want to change the PIN code, please contact your nearest Cobra or Toyota dealer. To enter the PIN code Press the button on the LED push button the number of times that corresponds to the first digit of the PIN code press with a maximum of 1.5. Press the alarm Cobra remote unlock button twice AK4169, ACS7189030, ACS71 89030CS, the siren will stop 1 press and the system will be disarmed after the 2 press. If the alarm system is equipped with an optional sensor, it can be bypassed as follows Hazard light Alarm status light.<http://serelyapi.com/userfiles/bravo-ii-autoprinter-manual.xml>

- **cobra car alarm manual, omega cobra car alarm manual, cobra 7915 car alarm manual, cobra car alarm user manual, king cobra car alarm manual, car alarm cobra manual, car alarm cobra manual pdf, car alarm cobra manual download, car alarm cobra manual instructions, car alarm cobra manual free.**

Condition Alarm status light LED Disarm state LED Off Prearm state 30 sec arming time LED On Armed state LED flashes at a steady rate To activate or deactivate any of them please contact your Cobra or Toyota dealer. 3.1. Door ajar warning This feature is enabled by default. If any door or boot is not fully closed when the remote lock button is pressed, the system will sound chirp 10 times. Passive arming mode arms the alarm system automatically without the vehicle being locked. Vehicle finder enables the user to manually flash the hazard lights 4 times to help locate the vehicle when the system is in the fully armed state. To enable it, please contact you Cobra or Toyota dealer. If this feature is enabled, the system will chirp once when armed and twice when disarmed using the remote control. Note If the remote battery is flat the system can be disarmed by entering your pin code using the override LED button see chapter 1, PIN code. Record the number of LED flashes Alarm went off while system 5 chirps and contact your Cobra or Toyota was armed. dealer. Door was incorrectly closed 2 chirps during last arming only if arming chirps are disabled. No arming Fuse blown. Check vehicle Dome 7.5A fuse. Alarm central unit ACU is Contact your Cobra or Toyota damaged or disconnected. dealer. Alarm wire harness is Contact your Cobra or Toyota damaged. dealer. Car Alarm. Thatcham M.I.R.R.C. Evaluation NoAlarm System we would suggest theDocuments in the car.User Instructions. Congratulations on purchasing a Cobra. It has beenPIN CodeEmergency Disarm and is required,Your PIN code is given on the card. Alarm System together with the serialPlease keepWithout the PIN code and emergencyAll round protection is ensured with1. Passenger compartment protectionMany of the security functions areAlso for your added

safety, each system Radio Key Function. Arm Disarm Siren Interrupt Panic Alarm Ultrasonic Sensor exclusion The security system is operated by remote control radio keys. <http://www.avto-iz-germanii.ru/upload/userfiles/bravo-ii-autoprinter-manual.xml>

Two radio keys are. Always press the button for a full. ONE SECOND to allow the whole code to be transmitted. The small LED on the radio key The Radio Keys should normally operate up to Radio Key. The Radio Keys are powered by a long life 3v Lithium battery With normal usage a new battery Replacement batteries can Low Radio Key. Battery. Indication. If the small LED on the radio Battery Replacement If, at any time, the remote key does not operate the system, stand close to the car and Release both buttons the LED will come on constantly. Then In case of difficulties please consult your Cobra Dealer. Passive Immobilisation. The System will automatically arm the If the doors are It will not now be possible to start the To fully arm the system after passive Alarm System have a protected self learning feature which allows up to four. Radio Keys to be programmed into your All existing radio keys and touch keys Cobra Dealer will be able to carry out this Arming the System. Radio Key pressing the operating button ON armed the vehicle is Emergency Override. Touch Key. The emergency override touch key can help your car is Key on the contacts of the touch receptacle The car can After switching ON armed a period of When the alarm is fully active it will be Contact Switches. When triggered the Electronic Siren will Keys can be programmed into each Siren Interrupt. Pressing button A whilst the siren is System status i.e. armed will not be Disarming the System. On return to the vehicle, pressing Personal Protection Pressing the auxiliary button B will sound Note If the system has been triggered Note This function will not be operational Note If the alarm has been triggered in Volumetric Protection. Exclusion. Single pulse flashing of LED One Ultrasonic Sensor 7928. To arm the system without utilising the. Ultrasonic interior sensor, press the Twin pulse flashing of LED One Quadruple flash repeated regularly. Alarm state caused by an attempt to Note This display can also show multiple Illuminated Entry.

On disarm the system will switch ON the This display is extinguished when the Changing Battery. Symptom The radio key may require Symptom Alarm has triggered for no If direct contact If showing Ultrasonic triggering please Dealer for assistance. Checking the Alarm. System. Alarm System on a regular basis once a Disarm the system Hyperfrequency Radar Sensor Whilst remaining seated in the car with If at any time your alarm does not appear Cobra Dealer. Pt. No. 908 001A File Type Extension pdf. PDF Version 1.4. Linearized No. Create Date 20020415 063915Z. Page Count 6. Has XFA No. Creation Date 20020415 063915Z. Producer Acrobat Distiller 3.0 for Windows. Buy the car alarm online with free UK delivery. I have a Cobra 3868 alarm fitted to my van and had a copy of the. Its not the user manual but the manual used for programming the module I. No cover Proposer only non manual work All Party Members non manual work. Have put my manual somewhere safe !!! Which means I cant find it and now need to reprogramme something on it Grrr. The alarm is the Cat 21 Compact Alarm 3868 by Cobra. Nejspis mas model 3868, ktery se uci presne impulsy centralu. SuperAL pise Vcera jsem si montoval svpomoci alarm do sveho focuse. Reknu vam, mel jsem z. Nemate nekdo zkusenosti s alarmem Cobra Globe 3868. Pa to ti kazem, ja sam hteo nesto tako, da se alarm i otkljucavanje rade na isto dugme, kljuca ili. I have been looking at the Cobra 3868, does anyone have this alarm. Or have a copy of the manual pdf for it. Also where can I get a wiring. Alarm Bezpilotowa Cobra 3868, ale na syrenie centrali ma oznaczenie 3865. Manual abstract user guide COBRA GLOBE 3800. 06DE2085A. pmd 22 1 INTRODUCTION This anti intrusion alarm system is operated by the. Anyone know which manual to buy plz. Just brought a new shape 2007 and Ive pulled the cobra 3868 alarm out of my old. More Details AB3868 Upgrade Alarm Thatcham CAT 2 to 1 Upgrade alarm for vehicles with existing keyless.

Compra Venta de recambios y accesorios de segunda mano mando alarm. Instalacin Alarma Cobra AK4615, AK4625 y AK4685 Duration 711. The Cobra 3868 Alarm is suitable for any vehicle already fitted with remote locking. Comprei um alarme Cobra 3868 para usar num golf IV mas o manual esta

em. Have tried to fit a Cobra 3868 this afternoon. De 3868 Compact alarmsystemen kunnen gebruikt worden in alle voertuigen met. COBRA INSTRUCTION MANUAL Math. Cobra Alarm Systems For more information contact your Cobra Regional Sales Manager.I must admit Ive never checked the manual for an alarm, just. How to disarm your Cobra alarm in the event of a remote failure. Gold Wing 1800 Owners manual Folio A1770MCAFOLIO. 86, Honda 1800. 3868, Honda Chrome Rear Carrier Traditional Style. Cobra Corporate Sales team, are.Alarm passive arming using remote control only. Pages 0 Saves 0. Oregon Scientific Digital Camera DS3868. Oregon Scientific Digital. Antenna Type Power; AntiTheft System Alarm; Cd Changer; Center Console; Clock. Beautiul Mazda Miata MX5 Roadster, Convertible top, 5speed manual with nice. I have a UK model that has a Cobra 3868 alarm fitted by Mitsubishi. The extra manual page has a key for these codes but only what 1,2,3,4 or. Download the MBU2000 User Manual. Cobra Alarm Key Programming. Im going on a hunch that its a 3868 alarm the 3868 and the 3800. But the manual is there, you just need to find a way of translating it that keeps. Cobra 3868 Category 21 PLIP compact alarm upgrade. Cobra 7928 Installation Manual PDF Files,.cobra 7928 car alarm Have bought.Reload to refresh your session. Reload to refresh your session. The device is reprogrammed when adding a new key fob or resyncing key fobs after battery replacement. Reprogramming involves a straightforward procedure that requires only a few minutes of time.

Step 1 Enter your car and prepare all alarm key fobs for reprogramming even if only one requires programming by pressing and holding down both buttons on each remote for roughly 10 seconds until the LEDs stop flashing. The security LED on the Cobra alarm system will blink once to indicate programming mode is initiated. Step 4 Repeat Step 3 for the remaining three digits of your four digit programming code. Press the largest button on one of the key fobs until the alarm LED turns off. It will flash back on if more than one remote is being programmed. Press the largest button on the remaining key fobs, one by one, until the alarm LED remains off. Tips Contact your Cobra alarm dealership or your car dealership to retrieve the four digit programing code if you misplaced the original. Restart the process from the beginning if a step wasnt registered by a flash of an LED. Items you will need Four digit programming code References Manuals Online Cobra Car Alarm Immobilizer System User Instructions About the Author This article was written by the It Still Works team, copy edited and fact checked through a multipoint auditing system, in efforts to ensure our readers only receive the best information. To submit your questions or ideas, or to simply learn more about It Still Works, contact us. More Articles How to Program a Chevy Tahoe Remote How to Program a Remote Keyless Entry. How to Reset Trouble Codes on a Ford. Python Remote Car Starter Instructions. How to Unlock a Ford Escape With a Dead. How to Program a Honda Remote Key FOB How to Reset the AntiTheft Key. We may earn money when you click on links on our site. Learn more. Learn more. The four auxiliary ports let you beef up the system with additional sensors, all for a price that's a steal. In addition to a mediocre range of 1,500 feet, Avital's lack of smartphone integration means you won't have the convenience of GPS tracking built into your car alarm system.

This system also has multiple inputs for expansions and a long battery life in comparison to other car alarm systems. Two standouts are the higher cost of the system compared to similar systems and the hassle of installation, which should be done by a professional to comply with the warranty terms. While it does have smartphone capabilities, they aren't fully integrated and require purchasing additional modules. The company has an industry reputation for offering the best car alarm systems available, but those extra features come with a price tag to match. True to Viper's reputation for excellence, the color OLED display in the remotes is unlike anything you'll find in other systems, and the onemile range places the company at the top. Of course, the Viper's cost can be prohibitively expensive for many car owners and is probably most attractive to those who have a ride that's worth the extra protection. Experts recommend a range of bells and whistles to avoid car theft and give your ride the protection it deserves. Here are some of the basics to look for before choosing a car

alarm system. Opt for advanced shock sensors that will respond when glass is broken and when the vehicle is hit by a significant impact, sending alerts to either your alarm remote or smartphone. Look for sirens that edge above 100 decibels and do more than honk the horn and flash the lights to grab attention. Instead, look for a car alarm system with moderate range that has a passive instead of active alarm, which means it will arm itself. That way, you'll be confident your alarm is set every time you walk away. These options include kill switches, highpitched sirens, and chirp alarms that may hassle the thief into abandoning your vehicle. While these kinds of security measures may seem redundant, they've been shown to effectively deter car thieves or interrupt vehicle theft in action.

In some cases, these key fobs even use an LCD display to detail conditions of your car like the internal temperature or open doors. Techsavvy thieves know how to hack the signal from your key fob and unlock your car remotely. That's why smart car alarm companies are adding encryption to their wireless car alarms. If you like the convenience of remote entry, you might want to look for a vehicle security system that incorporates encryption to keep hackers out of your car. Leading vehicle security companies like Viper use cloud technology to put remote control and monitoring in the palm of your hand. Mobile apps let you check in on your vehicle and receive email and text alerts without having to carry around an extra remote or key fob. Often, these apps also provide GPS tracking that can be enormously helpful in the case of theft. Because it can be complicated, we recommend professional installation. However, this can raise the overall price of a car alarm by several hundred dollars. If you're knowledgeable and want to attempt DIY installation, you're not alone. Many handy car owners have successfully installed their alarm system, but beware that DIY installation might impact any warranty on the equipment. Car alarm systems often provide extras like keyless entry, valet mode, and trunk release that can make your life just a little easier when you have your hands full. That's one of the many reasons we recommend professional installation for the car alarm systems we review. If you have concerns, check the manufacturer's specifications for details about the anticipated burden on your battery. We recommend professional installation for car alarm systems because there is a risk you could invalidate your warranty or place a strain on the battery with improper installation. Consider additional measures like steering wheel locks, or choose an option from our best car dash cams for extra security.

The more redundant protection measures you take, the less likely it is that your car will become a target. There are some common sense measures you can also take if you're dealing with a car breakin to make things like insurance claims and police reports a little easier on everyone involved. While they might be a headache during false alarms, carjacking protections like kill switches and advanced encryption are two key factors that can determine how easily car thieves hotwire your ignition or bypass your car alarm. Here's What to Do. Any price and availability information displayed on Amazon at the time of purchase will apply to the purchase of this product. Safewise.com utilizes paid Amazon links. This content is provided "as is" and is subject to change or removal at any time. Her work and product testing in the security and safety field spans the past four years. You can find Kaz in HuffPost, SheKnows, Lifehack, and much more. Her degree in education and her background as a teacher and a parent make her uniquely suited to offer practical advice on creating safe environments for your family. Learn more. Will surely take note of all of these. It is though, your most vulnerable asset as it is parked in shopping centres, railway stations and often in dark secluded streets. Sure the cars insured you may say until it happens then your faced with a big excess, loss of no claim bonus and in most cases the car is off the road for weeks sometimes months waiting for parts. Communication Via SMS Messaging. By going online and using a tracking console. Continue to use the site as normal if youre happy with this, or find out how to manage cookies. Subscribe to our Newsletter to make sure you never miss out. Could I please double check the order is on its way. For all fitting enquiries and bookings please visit or call one of our nationwide stores. Our fitters can install your new car stereo, DAB radio, audio visual, speakers, subwoofers or amplifier.

We can also help to connect your iPod or MP3 player to your existing audio unit and can offer the best advice on the right in-car entertainment for your vehicle, to further this more we also offer a total 100% custom installation service for demo and show vehicles. So if you have an idea come on in and run it past us, the possibilities are endless and we are never too busy for an enthusiastic chat about our favourite subject. Register NOW. All parcels sent to this address will be rejected. VAT No 764391802. Our blog provides wiring diagrams and standard electrical schematics. Fitting Instructions Cobra 7925 7928 7926 Alarm Cobra Alarm Manual The wiring diagram opens in a popup modal box. If the popup blocker is turned on in your device, you are not able to download or read online the wiring diagram. Fitting Instructions Cobra 7925 7928 7926 Alarm Cobra Alarm Manual Wiring diagrams show the connections to the controller, while line diagrams show circuits of the operation of the controller. We use cutting-edge technology to make sure you are in control, providing range and features you can count on every time. We use cutting-edge technology to make sure you are in control, providing range and features you can count on every time. No complaints, works great! My husband has a remote start the dealership put in, and if you're not close to the vehicle to hear the horn beep, you're out of luck. I got this for my daughter last year and for me, and it works like a charm. You can't go wrong. The distance is great on it! I live in Wisconsin where winter cold is colder than cold, it is great to walk outside and get into a warm car, windshield is clear of snow and ice, I bought and had it installed by Best Buy, it works great and the installer was very helpful and still is when I call with a quick question. Enter your email and subscribe to our newsletter.

Search for Guides Had this alarm installed in my Camaro z28 and could not be happier, my car has had two other alarms Download now any manual for ALARME COBRA 3865. 14 Feb 2012 Cobra vehicle alarms and immobilisers are Thatcham New Cobra 4600 Series Wireless Alarms The A4615 alarm is suitable for 2 wire CAN vehicles. Installations manual Cobra 4615 i bilar utan original fjarrkontroll Manual Cobra 7518 Items 1 — 8 of 8 Browse and Read Cobra 3868 Alarm Manual Cobra 3868 Alarm Manual Follow up what we will Cobra 3868 alarm manual 17.97MB By Waki Kurita Download cobra 3868 alarm manual by Art 4600 4615, Guide rapide. Pdf for cobra radar detector xrs9930 manual. Cobra bridge Cobra 46xx alarm series install manual. Cobra a4615 can bus alarm vehicle car immobiliser. Denne bla ledning skal tilsluttes stel pa modeller med tradlos sirene AK4615 for at info for people that need to reprogramme a new Cobra fob to their car. Cobra Alarm Key Programming 46154625 Remote 8772. The Cobra 6415 ADR Alarm is the perfect solution for keeping your vehicle safe. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab See the seller's listing for full details. You're covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing.

Find out more about your rights as a buyer opens in a new window or tab and exceptions opens in a new window or tab. Contact the seller opens in a new window or tab and request post to your location. Please enter a valid postcode. Please enter a number less than or equal to 2. The actual VAT requirements and rates may vary depending on the final sale. We may receive commission if your application for credit is successful. Terms and conditions apply. Subject to credit approval. We may receive commission if your application for credit is successful. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Your PIN code is given on the card Please keep It has been All round protection is ensured with 1. Passenger compartment protection Also for your added safety, each system. The motorhome version comes

complete with 2 remote control fobs. More information A4693 Compact Remote Alarm The Cobra A4693 is a compact remote alarm system that offers protection to door, boot and bonnet, plus interior ultrasonic protection. More information A4698 Compact Remote Alarm The Cobra A4698 is a compact remote alarm system that offers protection to door, boot and bonnet, plus interior ultrasonic protection. More information All rights reserved. Page 3 Radio Keys The security system is operated by remote control radio keys. Always press the button for a full ONE SECOND to allow the whole code to be transmitted. The small LED on the radio key will flash whilst the button is held down. The Radio Keys should normally operate up to 3 metres from the car but range can be affected by other radio signals in the vicinity. If the doors are not opened the delay is extended to 255 seconds after the ignition is switched OFF. It will not now be possible to start the engine, but in this instance the doors will not lock and the windows etc.

Page 5 period the system will close down and automatically reset to provide protection against a further attempt by an intruder to enter the vehicle. Siren Interrupt Pressing button A whilst the siren is sounding will turn the siren off. The Alarm System status i.e. armed will not be changed. Disarming the System On return to the vehicle, pressing operating button A on the radio key will disarm the system. If this is not immediately possible the following notes may be of help Symptom Radio Key will not arm or disarm system. 1 The Radio Key battery may be flat see notes on Low Battery Indication and Changing Battery. Symptom The radio key may require resynchronisation. Do you know how i can fix this problem. Many thanks Turn ignition key on and off around 5 times or till you here the alarm then hit the left and right button on fob till you here the alarm again then it is set. if you. Is there anywhere I can download it. Disconnected battery and charged it. alarm kept going off with charger cant get ignition to. I have code. Call us 855 3472779 GET A QUOTE It may also put your vehicle at an increased risk for theft or vandalism. Almost all car manufactures today provide several antitheft options on their vehicles, including alarms. Alarms have proven to be an effective means of deterring potential thieves and vandals. While this is good news for owners of vehicles with alarms, these alarms, like other electrical components, can go bad. While some of these tips may apply to aftermarket car alarms, it's best to consult a manual if you are experiencing problems with your aftermarket alarm. Because the alarm system draws power from the battery, you should exercise extreme caution when attempting any repairs. When this happens, your vehicle's alarm may inadvertently end up going off without you wanting it to. On older vehicles, the owner's manual may provide a way to reset the key fob or alarm remote.

Sometimes an alarm will deactivate when you try manually locking and unlocking the car. You may also try turning the car on to reset the alarm. Try inserting your key into the door lock and turning the key to the locked position and then turning the key into the unlock position twice. You can also try holding the key in the unlock position for two seconds. Open your vehicle's hood and locate the battery. Use a wrench to loosen the nut of the negative terminal and remove the wire from the battery. After about a minute, reattach the wire. Be sure to write them down before removing the battery's wire. This is typically located under the left side of the steering wheel. Consult your manual to determine which fuse is associated with your car alarm. Replace it with a fuse rated for the same amperage. Be mindful however, that if you disable the alarm, your vehicle will have one less safety feature. You should consult a mechanic before deciding to completely disable your alarm. To find the correct wires to disconnect, you should consult your vehicle's owner's manual. By removing the wires connecting the siren and the alarm's control unit, you can disable the alarm until it can be fixed permanently. While these DIY fixes may solve your problem, you should always consult a mechanic if the solution seems more complicated. If you need a fuse replaced or a new battery installed, have one of YourMechanic's certified technicians come to your home or work to do the job for you. YourMechanic's technicians bring the dealership to you by performing this job at your home or office 7 days a week between 7AM-9PM. Please see our After the battery is replaced, lock all the doors and then unlock the vehicle. You can reprogram your key fob to your vehicle by putting the key

up to the column and pushing on the lock buttons on the key fob. Then put the. If extra key does not work then you have a fault. Thank you again Joel for the 5 Star service.

He fixed the problem and took the time to show me defaults. Very good person I will recommend him highly for future work. He knows what to do and quickly finds the issue to fix. Best regards, Kent Robertson Was very professional I would recommend him to all my friends and family. Checked on my problem with my car and told my my results and gave me an estimate. I'd recommend Al as your car mechanic! Sometimes the thought of leaving a car in a vulnerable situation hinders us completely. But learning. Here are three ways to shut off your car alarm. Fortunately, you can increase the chances of keeping your vehicle safe from theft by taking a few simple steps. After the battery is replaced, lock all the doors and then unlock the vehicle. You can reprogram your key fob to your vehicle by putting the key up to the column and pushing on the lock buttons on the key fob. Then put the. If extra key does not work then you have a fault. It has antihijacking capability, valet mode and other security features. I haven't installed the Engine Auto Shutoff as it may cause more problem due to complex wiring. I don't want to mess up with. I also added a trunk release as part of my Alarm. So even if you are a bit far on the car you can open the trunk once you press the Mute button. It also has this valet mode capability that you can use that will disable the AUTOARM mode of the security unit. As this security alarm will auto ARM when in 30 minutes you open and leave the car and forgot to ARM, It will autoLock its self. If you forgot your key, then sorry. This is where Valet mode helps. It will not autoArm on 30 seconds and it will not autoarm if the valet attendant press the Brake Pedal. Unfortunately, I have triggered the Valet mode, which makes my security system nothing but a keyless entry car. As if you don't have any alarms at all. I've misplaced my Manual and cannot locate it anymore. I tried to search google and ask friends in Facebook.