

Continue













## Evidence-based practice fall prevention in hospitals

Share — copy and redistribute the material in any medium or format for any purpose, even commercially. Adapt — remix, transform, and build upon the material for any purpose, even commercially. The licensor cannot revoke these freedoms as long as you follow the license terms. Attribution — You must give appropriate credit , provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use. ShareAlike — If you remix, transform, or build upon the material, you must distribute your contributions under the same license as the original. No additional restrictions — You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits. You do not have to comply with the license for elements of the material in the public domain or where your use is permitted by an applicable exception or limitation . No warranties are given. The license may not give you all of the permissions necessary for your intended use. For example, other rights such as publicity, privacy, or moral rights may limit how you use the material. World Health Organisation. WHO Global report on falls prevention in older age. France: WHO Press; 2007. p. 53.Bouldin ELD, Andresen EM, Dunton NE, Simon M, Waters TM, Liu M, et al. Falls among adult patients hospitalized in the United States: prevalence and trends. *J Patient Saf.* 2013;9(1):13-7.PubMed PubMed Central Google Scholar NHS Improvement. The incidence and costs of inpatient falls in hospitals [internet]. London: NHS Improvement; 2017. Available from: . Google Scholar Australian Institute of Health and Welfare. Admitted patient care 2016-17: Australian hospital statistics. Canberra: AIHW; 2018. Google Scholar Fischer ID, Krauss MJ, Dunagan WC, Birge S, Hitcho E, Johnson S, et al. Patterns and predictors of inpatient falls and fall-related injuries in a large academic hospital. *Infect Control Hosp Epidemiol.* 2005;26(10):822-7.Article PubMed Google Scholar Oliver D, Healey F, Haines TP. Preventing falls and fall-related injuries in hospitals. *Clin Geriatr Med.* 2010;26(4):645-92.Article PubMed Google Scholar Schwendimann R, Buhler H, De Geest S, Milisen K. Characteristics of hospital inpatient falls across clinical departments. *Gerontology.* 2008;54(6):342-8.Article PubMed Google Scholar National Institute for Health and Care Excellence. Falls in older people: assessing risk and prevention. London: NICE; 2013. Available from: . Google Scholar Deandrea S, Bravi F, Turati F, Lucenteforte E, La Vecchia C, Negri E. Risk factors for falls in older people in nursing homes and hospitals. A systematic review and meta-analysis. *Arch Gerontol Geriatr.* 2013;56(3):407-15.Article PubMed Google Scholar Rush KL, Robey-Williams C, Patton LM, Chamberlain D, Bendyk H, Sparks T. Patient falls: acute care nurses' experiences. *J Clin Nurs.* 2009;18(3):357-65.Article PubMed Google Scholar Shuman C, Liu J, Montie M, Galinato JG, Todd MA, Heigstad M, et al. Patient perceptions and experiences with falls during hospitalization and after discharge. *Appl Nurs Res.* 2016;31:79-85.Article PubMed Google Scholar Carroll DL, Dykes PC, Hurley AC. Patients' perspectives of falling while in an acute care hospital and suggestions for prevention. *Appl Nurs Res.* 2010;23(4):238-41.Article PubMed Google Scholar Hitcho EB, Krauss MJ, Birge S, Dunagan WC, Fischer I, Johnson S, et al. Characteristics and circumstances of falls in a hospital setting. *J Gen Intern Med.* 2004;19(7):732-9.Article PubMed PubMed Central Google Scholar Cameron ID, Dyer SM, Panagoda CE, Murray GR, Hill KD, Cumming RG, et al. Interventions for preventing falls in older people in care facilities and hospitals. *Cochrane Database Syst Rev.* 2018(9).Oliver D, Hopper A, Seed P. Do hospital fall prevention programs work? A systematic review. *J Am Geriatr Soc.* 2000;48(12):1679-89.Article CAS PubMed Google Scholar Coussement J, De Paepe L, Schwendimann R, Denhaerynck K, Dejaeger E, Milisen K. Interventions for preventing falls in acute-and chronic-care hospitals: a systematic review and meta-analysis. *J Am Geriatr Soc.* 2008;56(1):29-36.Article PubMed Google Scholar Oliver D, Daly F, Martin FC, McMurdo MET. Risk factors and risk assessment tools for falls in hospital in-patients: a systematic review. *Age Ageing.* 2004;33(2):122-30.Article PubMed Google Scholar Nandy S, Parsons S, Cryer C, Underwood M, Rashbrook E, Carter Y, et al. Development and preliminary examination of the predictive validity of the falls risk assessment tool (FRAT) for use in primary care. *J Public Health.* 2004;26(2):138-43.Article PubMed Google Scholar Oliver D, Britton M, Seed P, Martin FC, Hopper AH. Development and evaluation of evidence based risk assessment tool (STRATIFY) to predict which elderly inpatients will fall: case-control and cohort studies. *BMJ.* 1997;315(7115):1049-53.Article CAS PubMed PubMed Central Google Scholar Hendrich AL, Bender PS, Nyhuis A. Validation of the Hendrich II fall risk model: a large concurrent case/control study of hospitalized patients. *Appl Nurs Res.* 2003;16(1):9-21.Article PubMed Google Scholar Vassallo M, Poynter L, Sharma JC, Kwan J, Allen SC. Fall risk-assessment tools compared with clinical judgment: an evaluation in a rehabilitation ward. *Age Ageing.* 2008;37(3):277-81.Article PubMed Google Scholar Haines TP, Lee D-CA, O'Connell B, McDermott F, Hoffmann T. Why do hospitalized older adults take risks that may lead to falls? *Health Expect.* 2012;18(2):233-49.Article PubMed PubMed Central Google Scholar Dykes PC, Carroll DL, Hurley AC, Benoit A, Middleton B. Why do patients in acute care hospitals fall? Can falls be prevented? *J Nurs Adm.* 2009;39(6):299-304.Article PubMed PubMed Central Google Scholar Staggs VS, Mion LC, Shorr RI. Assisted and unassisted falls: different events, different outcomes, different implications for quality of hospital care. *Jt Comm J Qual Patient Saf.* 2014;40(8):358-64.Article PubMed PubMed Central Google Scholar Hill A-M, Hoffmann T, Hill K, Oliver D, Beer C, McPhail S, et al. Measuring falls events in acute hospitals—a comparison of three reporting methods to identify missing data in the hospital reporting system. *J Am Geriatr Soc.* 2010;58(7):1347-52.Article PubMed Google Scholar Gettens S, Fulbrook P, Jessup M, Low CN. The patients' perspective of sustaining a fall in hospital: a qualitative study. *J Clin Nurs.* 2018;27(3-4):743-52.Article PubMed Google Scholar Bunn F, Dickinson A, Barnett-Page E, McInnes E, Horton K. A systematic review of older people's perceptions of facilitators and barriers to participation in falls-prevention interventions. *Ageing Soc.* 2008;28(4):449-72.Article Google Scholar Zavotsky K, Hussey J, Easter K, Incalcaterra E. Fall safety agreement: a new twist on education in the hospitalized older adult. *Clin Nurse Spec.* 2014;28(3):168-72.Article PubMed Google Scholar Huang LC, Ma WF, Li TC, Liang YW, Tsai LY, Chang FU. The effectiveness of a participatory program on fall prevention in oncology patients. *Health Educ Res.* 2015;30(2):298-308.Article PubMed Google Scholar Haines TP, Hill AM, Hill KD, McPhail S, Oliver D, Brauer S, et al. Patient education to prevent falls among older hospital inpatients: a randomized controlled trial. *Arch Intern Med.* 2011;171(6):516-24.Article PubMed Google Scholar Kuhlenschmidt ML, Reeber C, Wallace C, Chen Y, Barnholz-Sloan J, Mazanez SR. Tailoring education to perceived fall risk in hospitalized patients with cancer: a randomized, controlled trial. *Clin J Oncol Nurs.* 2016;20(1):84-9.Article PubMed Google Scholar Dykes PC, Carroll DL, Hurley A, Lipsitz S, Benoit A, Chang F, et al. Fall prevention in acute care hospitals: a randomized trial. *JAMA.* 2010;304(17):1912-8.Article CAS PubMed PubMed Central Google Scholar Kobayashi K, Ando K, Inagaki Y, Suzuki Y, Nagao Y, Ishiguro N, et al. Measures and effects on prevention of fall: the role of a fall working group at a university hospital. *Nagoya J Med Sci.* 2017;79(4):497-504.PubMed PubMed Central Google Scholar Ang E, Mordifff SZ, Wong HB. Evaluating the use of a targeted multiple intervention strategy in reducing patient falls in an acute care hospital: a randomized controlled trial. *J Adv Nurs.* 2011;67(9):1984-92.Article PubMed Google Scholar Clarke HD, Timm VL, Goldberg BR, Hattrup SJ. Preoperative patient education reduces in-hospital falls after total knee arthroplasty. *Clin Orthop Relat Res.* 2012;470(1):244-9.Article PubMed Google Scholar Forrest G, Huss S, Patel V, Jeffries J, Myers D, Barber C, et al. Falls on an inpatient rehabilitation unit: risk assessment and prevention. *Rehabil Nurs.* 2012;37(2):56-61.Article PubMed Google Scholar Lee D-CA, Pritchard E, McDermott F, Haines TP. Falls prevention education for older adults during and after hospitalization: a systematic review and meta-analysis. *Health Educ J.* 2014;73(5):530-44.Article Google Scholar Hill AM, McPhail SM, Waldron N, Etherton-Beer C, Ingram K, Flicker L, et al. Fall rates in hospital rehabilitation units after individualised patient and staff education programmes: a pragmatic, stepped-wedge, cluster-randomised controlled trial. *Lancet.* 2015;385(9987):2592-9.Article PubMed Google Scholar Morris ME, Menz HB, McGinley JL, Watts JJ, Huxham FE, Murphy AT, et al. A randomized controlled trial to reduce falls in people with Parkinson's disease. *Neurorehabil Neural Repair.* 2015;29(8):777-85.Article PubMed Google Scholar Hill AM, McPhail SM, Haines TP, Morris ME, Etherton-Beer C, Shorr R, et al. Falls after hospital discharge: a randomized clinical trial of individualized multi-modal falls prevention education. *J Gerontol A Biol Sci Med Sci.* 2019;74(9):1511-7.Article PubMed PubMed Central Google Scholar Peters MDJ, Godfrey C, McInerney P, Balidini Soares C, Khalil H, Parker D. Chapter 11. Scoping Reviews. 2017 [cited 6 Aug 2019]. In: Joanna Briggs Institute Reviewer's Manual. The Joanna Briggs Institute. [cited 6 Aug 2019]. Available from: H. O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol.* 2005;8(1):19-32.Article Google Scholar Peters MDJ, Godfrey CM, Khalil H, McInerney P, Parker D, Soares CB. Guidance for conducting systematic scoping reviews. *Int J Evid Based Healthc.* 2015;13(3):141-6.Article PubMed Google Scholar Tricco AC, Lillie E, Zarin W, O'Brien KK, Colquhoun H, Levac D, et al. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. The PRISMA-ScR statement. *Ann Intern Med.* 2018;169(7):467-73.Article PubMed Google Scholar Heng H, Jazayeri D, Shaw L, Kiegaldie D, Hill A-M, Morris ME. Educating hospital patients to prevent falls: protocol for a scoping review. *BMJ Open.* 2019;9(9):e030952.Article PubMed PubMed Central Google Scholar Kiegaldie DJ, Farlie MK. Using education interventions in falls research: a framework for evidence-based education design. 2nd ed. Melbourne: Holmessglen Institute; 2019. Google Scholar Avancecan D, Calliste D, Contreras T, Lim Y, Fitzpatrick A. Effectiveness of patient-centered interventions on falls in the acute care setting compared to usual care: a systematic review. *JBHI Database System Rev Implement Rep.* 2017;15(12):3006-48.Article PubMed Google Scholar Hempel S, Newberry S, Wang Z, Booth M, Shanman R, Johnsen B, et al. Hospital fall prevention: a systematic review of implementation, components, adherence, and effectiveness. *J Am Geriatr Soc.* 2013;61(4):483-94.Article PubMed PubMed Central Google Scholar Mieke-Lye IM, Hempel S, Ganz DA, Shekelle PG. Inpatient Fall Prevention Programs as a Patient Safety Strategy: A Systematic Review. *Ann Intern Med.* 2013;158(5 Part 2):390-6.Article PubMed Google Scholar Khalifa M. Improving patient safety by reducing falls in hospitals among the elderly: a review of successful strategies. *Stud Health Technol Inform.* 2019;262:340.PubMed Google Scholar LeLaurin JH, Shorr RI. Preventing falls in hospitalized patients: state of the science. *Clin Geriatr Med.* 2019;35(2):273-83.Article PubMed PubMed Central Google Scholar Aizen E, Lutsyk G, Wainer L, Carmel S. Effectiveness of individualized fall prevention program in geriatric rehabilitation hospital setting: a cluster randomized trial. *Aging Clin Exp Res.* 2015;27(5):681-8. Article PubMed Google Scholar Cumming RG, Sherrington C, Lord SR, Simpson JM, Vogler C, Cameron ID, et al. Cluster randomised trial of a targeted multifactorial intervention to prevent falls among older people in hospital. *BMJ (Int Ed).* 2008;336(7647):758-60.Article Google Scholar Dykes PC, Duckworth M, Cunningham S, Dubois S, Driscoll M, Feliciano Z, et al. Pilot testing fall TIPS (tailoring interventions for patient safety): a patient-centered fall prevention toolkit. *Jt Comm J Qual Patient Saf.* 2017;43(8):403-13.Article PubMed Google Scholar Hill A, McPhail S, Hoffmann T, Hill K, Oliver D, Beer C, et al. A randomized trial comparing digital video disc with written delivery of falls prevention education for older patients in hospital. *J Am Geriatr Soc.* 2009;57(8):1458-63.Article PubMed Google Scholar Kiyoshi-Teo H, Northup-Snyder K, Cohen DJ, Dieckmann N, Stoyles S, Eckstrom E, et al. Feasibility of motivational interviewing to engage older inpatients in fall prevention: a pilot randomized controlled trial. *J Gerontol Nurs.* 2019;45(9):19-29.Article PubMed Google Scholar van Gaal (2011) BGI, Schoonhoven L, Mintjes JAJ, Borm GF, Hulscher MEJL, Defloor T, et al. Fewer adverse events as a result of the SAFE or SORRY? Programme in hospitals and nursing homes. Part I: primary outcome of a cluster randomised trial. *Int J Nurs Stud.* 2011;48(9):1040-8.Hill AM, Waldron N, Francis-Coad J, Haines T, Etherton-Beer C, Flicker L, et al. 'It promoted a positive culture around falls prevention': staff response to a patient education programme—a qualitative evaluation. *BMJ Open.* 2016;6(12):e013414.Article PubMed PubMed Central Google Scholar Hill A-M, McPhail SM, Francis-Coad J, Waldron N, Etherton-Beer C, Flicker L, et al. Educators' perspectives about how older hospital patients can engage in a falls prevention education programme: a qualitative process evaluation. *BMJ Open.* 2015;5(12):e009780.Article PubMed PubMed Central Google Scholar Hill A-M, Francis-Coad J, Haines TP, Waldron N, Etherton-Beer C, Flicker L, et al. My independent streak may get in the way': how older adults respond to falls prevention education in hospital. *BMJ Open.* 2016;6(7):e012363.Article PubMed PubMed Central Google Scholar Martin RB. The impact of engagement strategies on the reduction of patient falls. *Ann Arbor: Walden University;* 2017. Google Scholar Sitzer VA. Hospital fall prevention using interactive patient care technology. Ann Arbor: University of San Diego; 2014. Google Scholar Cerlo PC. Effectiveness of fall prevention multimedia program on patient awareness, self-efficacy, and engagement. Ann Arbor: University of Phoenix; 2011. Article Google Scholar Haines TP, Hill AM, Hill KD, Brauer SG, Hoffmann T, Etherton-Beer C, et al. Cost effectiveness of patient education for the prevention of falls in hospital: economic evaluation from a randomized controlled trial. *BMC Med.* 2013;11:135.Article PubMed PubMed Central Google Scholar Vieira ER, Berean C, Paches D, Caveny P, Yuen D, Ballash L, et al. Reducing falls among geriatric rehabilitation patients: a controlled clinical trial. *Clin Rehabil.* 2013;27(4):325-35.Article PubMed Google Scholar Trombetti A, Hars M, Herrmann F, Rizzoli R, Ferrari S. Effect of a multifactorial fall-and-fracture risk assessment and management program on gait and balance performances and disability in hospitalized older adults: a controlled study. *Osteoporos Int.* 2013;24(3):867-76.Article CAS PubMed Google Scholar Wayland L, Holt L, Sewell S, Bird J, Edelman L. Reducing the patient fall rate in a rural health system. *J Healthcare Qual.* 2010;32(2):9-15.Article PubMed Google Scholar Beasley B, Patatanian E. Development and implementation of a pharmacy fall prevention program. *Hosp Pharm.* 2009;44(12):1095-102.Article Google Scholar Cangany M, Back D, Hamilton-Kelly T, Altman M, Lacey S. Bedside nurses leading the way for falls prevention: an evidence-based approach. *Crit Care Nurse.* 2015;35(2):82-4.Article PubMed Google Scholar Kolin MMM, Minnier CT, Hale EK, Martin ES, Thompson EL. Fall initiatives: redesigning best practice. *J Nurs Adm.* 2010;40(9):384-91.Article PubMed Google Scholar Krauss MJ, Tullam N, Constantinou E, Johnson S, Jackson D, Fraser VJ. Intervention to prevent falls on the medical service in a teaching hospital. *Infect Control Hosp Epidemiol.* 2008;29(6):539-45.Article PubMed Google Scholar Miller L, Limbaugh CM. Applying evidence to develop a medical oncology fall-prevention program. (Evidence-based practice). *Clin J Oncol Nurs.* 2008;12(1):153.Article PubMed Google Scholar Quigley PA, Hahn B, Collazo S, Gibson W, Janzen S, Powell-Cope G, et al. Reducing serious injury from falls in two veterans' hospital medical-surgical units. *J Nurs Care Qual.* 2009;24(1):33-41. Article PubMed Google Scholar Shuey KM, Balch C. Fall prevention in high-risk patients. *Crit Care Nurs Clin North Am.* 2014;26(4):569-80.Article PubMed Google Scholar Stoeckle A, Iseler JI, Haves R, Aebbersold C. Catching quality before it falls: preventing falls and injuries in the adult emergency department. *J Emerg Nurs.* 2019;45(3):257-64.Article PubMed Google Scholar Dacenko-Grawe L, Holm K. Evidence-based practice: a falls prevention program that continues to work. *Medsurg Nurs.* 2008;17(4):223-8.PubMed Google Scholar Champion VL, Skinner CS. The health belief model. In: Glanz K, Rimer BK, Viswanath K, editors. *Health behaviour and health education: theory, research and practice.* 4th ed. San Francisco: Jossey-Bass; 2008. p. 45-65. Google Scholar Ammon-Gaberson KB. Adult learning principles: applications for preceptor programs. *AORN J.* 1987;45(4):961-3.Article CAS PubMed Google Scholar Yardley L, Beyer N, Hauer K, McKee K, Ballinger C, Todd C. Recommendations for promoting the engagement of older people in activities to prevent falls. *Qual Saf Health Care.* 2007;16(3):230.Article CAS PubMed PubMed Central Google Scholar Wiens CA, Koleba T, Jones CA, Feeny DF. The falls risk awareness questionnaire: development and validation for use with older adults. *J Gerontol Nurs.* 2006;32(8):43-50.Article PubMed Google Scholar Prince M. Does active learning work? A review of the research. *J Eng Educ.* 2004;93(3):223-31.Article Google Scholar Merlin T, Weston A, Toohar R. Extending an evidence hierarchy to include topics other than treatment: revising the Australian 'levels of evidence'. *BMC Med Res Methodol.* 2009;9(1):34.Article PubMed PubMed Central Google Scholar Tamura-Lis W. Teach-back for quality education and patient safety. *Urol Nurs.* 2013;33(6):267.Article PubMed Google Scholar Strömberg A. The crucial role of patient education in heart failure. *Eur J Heart Fail.* 2005;7(3):363-9.Article PubMed Google Scholar Morrow DG, Weiner M, Young J, Steinley D, Deer M, Murray MD. Improving medication knowledge among older adults with heart failure: a patient-centered approach to instruction design. *The Gerontologist.* 2005;45(4):545-52.Article PubMed Google Scholar Rigidon AS. Development of patient education for older adults receiving chemotherapy. *Clin J Oncol Nurs.* 2010;14(4):433-41.Mann KS. Education and health promotion for new patients with cancer. *Clin J Oncol Nurs.* 2011;15(1):55.Article PubMed Google Scholar Bandura A. Self-efficacy : the exercise of control. New York: W.H. Freeman; 1997. Google Scholar Abela JC. Adult learning theories and medical education: a review. *Malta Med J.* 2009;21(1):11-8. Google Scholar Falvo D. Effective patient education: a guide to increased adherence. 4th ed. Sudbury: Jones & Bartlett Publishers; 2010. Google Scholar Michie S, Fixsen D, Grimshaw JM, Eccles MP. Specifying and reporting complex behaviour change interventions: the need for a scientific method. *Implement Sci.* 2009;4(1):40.Article PubMed PubMed Central Google Scholar McHugh S, Sinnott C, Racine E, Timmons S, Byrne M, Kearney PM. 'Around the edges': using behaviour change techniques to characterise a multilevel implementation strategy for a fall prevention programme. *Implementation Sci.* 2018;13(1):113.Article CAS Google Scholar Padberg R, Padberg L. Strengthening the effectiveness of patient education: applying principles of adult education. *Oncol Nurs Forum.* 1990;17(1):65-9.CAS PubMed Google Scholar Ulrich RS, editor. Evidence based environmental design for improving medical outcomes. Proceedings of the Healing by Design: Building for Health Care in the 21st Century Conference; 2000; Quebec, Canada. Montreal: McGill University Health Centre; 2000.Taylor SE. Hospital patient behavior: reactance, helplessness, or control? *J Soc Issues.* 1979;35(1):156-84.Article Google Scholar Kiegaldie D, Nestel D, Pryor E, Williams C, Bowles K, Maloney S, et al. Design, delivery and evaluation of a simulation-based workshop for health professional students on falls prevention in acute care settings. *Nurs Open.* 2019;6(3):1150-62.Article PubMed PubMed Central Google Scholar Cottneril S, Knowles S, Martindale A-M, Elvey R, Howard S, Coupe N, et al. Getting messier with TIDieR: embracing context and complexity in intervention reporting. *BMC Med Res Methodol.* 2018;18(1):12.Article PubMed PubMed Central Google Scholar Page 2Avancecan (2017) [47]Assess effectiveness of patient-centered falls prevention in acute care5503JBIMJARI critical appraisal toolMultifactorial: HighMultifactorial: May reduce falls rateRR: 0.80 (0.64-1.01)Hempel (2013) [48]Review characteristics and effectiveness of falls prevention in acute care59401Egger regression and Begg rank restNo evidence of publication biasMultifactorial: Unable to conclude effectivenessRaR: 0.77 (0.52-1.12)Lee (2014) [37]Evaluate the effectiveness of patient falls education in hospitals and post discharge261658Law toolPatient education alone: Moderate Multifactorial: ModeratePatient education alone or in multifactorial: Significant reduction in falls rateRR: 0.77 (0.69-0.87)Miake-Lye (2013) [49]Evaluate effectiveness of multifactorial falls prevention programs in hospital and factors related to successful implementation212101Downs and Black Quality ScoreMultifactorial: ModerateMultifactorial: May reduce falls rateMeta-analysis not performed